High Strength Brass Rod Hpb59-1 Hpb63-3 Material Round Shape Solid Brass Round Stock

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 2
- Price:
- Packaging Details:
- Delivery Time:

Our Product Introduction

for more products please visit us on brassbronzecasting.com

- Supply Ability:
- 2 Tons USD/EURO/RMB Standard export package 2-4Weeks 3,000 MT/per month

China

TSTY

ISO 9000

Accordingly



Product Specification

- Name:
- Dimensions:
- Shape:
- Color:
- Material:
- Type:
- Highlight:
- High Quality Hpb59-1 Hpb63-3 Brass Rod Customized Round, Hexagon Or Customized Yellow Brass Continuous Cast Bar Or Extruded Bar
- brass bar stock, brass square bar



More Images





Product Description

						_		
ltem		Brass Rod/bar Hpb63-3						
Composition		As below table						
Standard		ASTM,AISI,BS,JIS,C						
Туре		Continuous or Extru						
OEM acceptance		Yes, customized cor is accepted						
Shape		Solid or hollow Round, flat, square,						
Dimension		Round bar: Diameter for continu Diameter for extrude Length: customized Dimension for rods o customized.						
Finish		Mill, polished, bright	or as re	equested				
Process		Horizonal continuou						
		Chemical composition Mechenic property to strength, Elongation						
Application		 Charging auto parts Connectors Marine pumps Bushing Electrical conductors Cummunication Couplings, plumbing parts or sanitary ware parts,etc. Military 						
Advantages		 Good mechanical properties, Strong corrosion resistance, Strict dimension control, High intensity, Great machining performance, Hot Forging performance 						
MOQ		500KG-3000KG						
Sampe requested		Yes						
Price Term	l	Ex-works, FOB,CIF,	etc					
Chemical Compositi on								
Alloy Grade	Cu		Pb	AI		Fe(ma x)	Sn	Zn
HPb63-3 62.0~6		5.0	2.4~3. 0	-		0.1	-	REM
HPb63-0.161.5~6		63.5	0.05~ 0.3	-		0.15	-	REM
HPb62-2 60.0~6		63.0	1.5~2. 5	-		0.15	-	REM
HPb60-3 58.0~6		61.0	2.5~3. 5	-		0.3	0.3	REM
Hpb59-1 57.0~6		60.0	0.8~1. 9	-		0.5	-	REM
Hpb58-3	57.0~5	59.0	2.5~3. 5	-		0.5	0.5	REM
				L				_

Impuri ty Total

0.75 0.5

0.65 0.8

1.0

1.0

Hpb57-4	56.0~58.0	3.5~4 5	0.5	0.5	REM	1.2
C3601	59.0~63.0	1.8~37	0.3	Fe+S n:0.5	REM	-
C3602	59.0~63.0	1.8~3 7	0.5	Fe+S n:1.0	REM	-
C3603	57.0~61.0	1.8~3 7	0.35	Fe+S n:0.6	REM	-
C3604	57.0~61.0	1.8~3 7	0.5	Fe+S n:1.0	REM	-
C3605	56.0~60.0	3.5~4 5	0.5	Fe+S n:1.0	REM	-
CW602N	61.0~63.0	1.7~2. 8	0.1	0.1	REM	Ni 0.3 others total 0.2
CW614N	57.0~59.0	2.5~3. 5	0.3	0.3	REM	Ni 0.3 others total 0.2
CW617N	57.0~59.0	1.6~2. 5	0.3	0.3	REM	Ni 0.3 others total 0.2
C36000	60.0~63.0	2.5~30	0.35	-	REM	-



COMPANY INTRODUCTION

OUR ADVANTAGES:

 Shanghai Tianshen Copper Group Co., Ltd, established in 1992, is a professional manufacture process from raw material to finished parts development of 25 years, Tianshen has set up two facilities in Shanghai and Zhejiang as the manufacture base.By adoption of the advanced and
 Comprehensive manufacture process from raw material to finished parts --Devoted to whole process control and continuous improvements Well equiped with modern devices and professional personnel --Share advanced technology and experience
 power, connector etc. With the high quality, excellent service and Long-term partnership with top international companies competitive price, Tianshen has become long-term strategic suppliers for ----Stay competitive and focus on excellence many well-known brands all over the world

OURPROCESS

Gravity casting Centri fugal casting Continuous casting / Extrusion Automatic sand casting Hot forging Machining

MAIN PRODUCTS

Water meters and couplings Valves and fittings OEM Brass/Bronze/ Lead free parts ETP Copper Bus bar Brass/Bronze/ Lead free Ingots Brass/Bronze/ Lead free Rods Prass/Bronze/ Copper Coils/Strips Brass/Bronze/ Copper Sheets/Plates







